

PRODUCT INFORMATION

JHWS24W SLIM INDOOR WALL-MOUNTED KIOSK SYSTEM WITH TOUCH FUNCTIONALITY FOR SELF CHECK-IN

Receive and greet your visitors in style with the interactive and slim kiosk system. The slim and high-quality design enriches every room - no matter if foyer, reception or entrance hall. The large touch monitor is perfectly suited for independent check-in with our visitor management software JAMES.

A QR scanner is already integrated in the standard system and can also be used for instruction and training. An NFC scanner or access control reader can be optionally installed, just like a thermal transfer printer. So visitor badges can be printed and QR codes can be read. A considerable advantage for the self check-in of visitors.

The system is designed for wall mounting and is also available with a stand.

metaSEC Indoor Wall kiosk system
Illustration shows equipment variant and may differ from the original

DISPLAY	<ul style="list-style-type: none"> • 24" panel / monitor size 569.2 x 341.1 (mm) • Full HD resolution for brilliant images (resolution 1920 x 1080 px) • 10 points touch function • for interactive touch applications • Operating temperature: 0°C ~ 40°C, 20% ~ 80% RH. • Storage temperature: -20°C~ 60°C, 10% ~ 95% RH • Interface VGA , HDMI
PC	<ul style="list-style-type: none"> • Powerful integrated Mini-PC with 4G RAM • Choice of Linux or Windows operating system • Quad core J1900 CPU
DIMENSIONS	<ul style="list-style-type: none"> • H 1749,8 x B 360 x T 338,1 (mm) • Weight 32,7 kg
QR-SCANNER	<ul style="list-style-type: none"> • Read mode CMOS • Lighting LED (6000K) 90lux @100mm • resolution 640 x 480 pixel • Scan speed 30 times per second

KIOSK WITH STAND



KIOSK SYSTEM MOUNTED ON THE WALL



PRINTER OPTIONAL

- Thermal printing process with a resolution of 203 dpi (8 dots/mm)
- Paper width 80 mm, print width 72 mm
- max printing speed 170 mm/s
- Tool life of the cutter 700000 times


NFC / ZK READER OPTIONAL

- Please ask for corresponding data sheets separately

ENVIRONMENTAL SPECIFICATIONS

- Working environment: Interior
- Working temperature: 0°C - 40°C
- Operating humidity: 10%-90% (no condensation)

DIMENSIONS OF THE KIOSK SYSTEM (INCL. STAND)



Dimensions in mm